EAST Search History

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|-------------------------|---|---------------------|---------|---------------------|
| S1 | 3 | husler-d\$.in. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/11 10:56 |
| S2 | 5 | husler-d\$.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 11:19 |
| S3 | 1 | "20030001310" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/11 16:29 |
| S4 | 7 | "7208219" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/11 16:30 |
| S5 | 0 | wo "0258916" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 16:30 |
| S6 | 17 | quickstep technologies | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 16:32 |
| S7 | 16 | "1238784" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 16:32 |
| S8 | 2 | "0893235" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 16:33 |
| S9 | 16 | fokker special products | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 16:33 |

| S10 | 2 | wo "9607532" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/11 16:59 |
|------|--------|--|---|-----|----|---------------------|
| S11 | 12 | "6149844" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/11 17:01 |
| S12 | 6113 | (thin-walled or thin) near20 ((metal or copper or nickel) with (mold or mould)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OS | 2009/03/12 11:40 |
| S13 | 1321 | (thin-walled or thin) near20 ((metal or copper or nickel) adj (mold or mould)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/12 12:01 |
| S14 | 33 | S13 and (vacuum or (air tight)) | FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/12 12:03 |
| S15 | 213 | S13 and (vacuum or (air tight)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/12 12:11 |
| S16 | 5 | "6779999" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/12 15:12 |
| S17 | 29467 | (metal with (mold or mould)) and (cetering or centers or centered) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/12 15:45 |
| S18 | 465277 | S17 and copper or nickel | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/12 15:45 |
| S19 | 10309 | S17 and (copper or nickel) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/12 15:46 |
| \$20 | 2200 | S19 and (heat\$4 with (coil\$3 or channel or wir\$4)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/12 15:46 |
| S21 | 874 | S20 and (cool\$4 with (coil\$3 or channel or wir\$4 or liquid or current)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/12 15:49 |
| S22 | 262 | S21 and (thermoplastic or thermoform) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/12 15:54 |
| S23 | 212 | S22 and (vacuum\$5 or compress\$5) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/12 15:54 |
| S24 | 119 | S22 and (vacuum\$5 and compress\$5) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/12 15:55 |
| S25 | 1 | "7172405" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/13 08:12 |

| S26 | 0 | "I24" and (metallic with shell with (mold or mould)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/13 09:35 |
|-----|---------|--|---|-----|----|---------------------|
| S27 | 835 | (metallic with shell with (mold or mould)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/13 09:35 |
| S28 | 1495838 | vacuum or ((air tight) near seal\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/13 09:36 |
| S29 | 134 | S27 and S28 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/13 09:36 |
| S30 | 351 | (metallic near5 (shell with (mold or mould))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/13 09:45 |
| S31 | 65 | S30 and S28 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/13 09:45 |
| S32 | 78933 | metal\$4 adj (mold or mould) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/13 09:53 |
| S33 | 52 | S32 and (galvani\$5 with (copper or nickel or Cu or Ni)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/13 09:54 |
| S34 | 57303 | vacuum\$ with (mold or moulding) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/13 11:06 |

| S35 | 3637 | (mold or mould) and (shell with (halves or half or (upper and lower))) and (seal or sealant or sealed) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/13 11:07 |
|-----|-------|--|---|-----|----|---------------------|
| S36 | 434 | S34 and S35 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/13 11:08 |
| S37 | 12 | S36 and ((copper or nickel or cu or ni) near4 (mold or mould)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/13 11:09 |
| S38 | 12449 | 264/101.cds. or 264/102.cds. or 264/257.cds. or 264/258.cds. or 264/313.cds. or 264/320.cds. or 264/327.cds. or 264/327.cds. or 425/405.1.cds. or 425/40.420.cds. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/16 16:01 |
| S39 | 1519 | S38 and ((metal or metallic or galvanized copper or copper or galvanized nickel or nickel or cu or ni) with mold) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/16 16:02 |
| S40 | 624 | S38 and ((metal or metallic or galvanized copper or copper or galvanized nickel or nickel or cu or ni) near2 mold) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/16 16:03 |
| S41 | 15 | S40 and shell mold | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/16 16:03 |
| S42 | 3376 | vacuum\$4 (mold\$4 or mould\$4) and (seal or seal\$3) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 09:18 |
| S43 | 41 | S42 and (seal with (adjust\$4 or compensat \$4)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 09:19 |
| S44 | 29484 | (metal with (mold or mould)) and (cetering or centers or centered) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:24 |
| S45 | 10317 | S44 and (copper or nickel) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:24 |
| S46 | 2200 | S45 and (heat\$4 with (coil\$3 or channel or wir\$4)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:24 |

| S47 | 874 | \$46 and (cool\$4 with (coil\$3 or channel or wir\$4 or liquid or current)) | US-PGPUB; USPAT; USOOR | ADJ | ON | 2009/03/17 11:24 |
|-----|---------|--|---------------------------|-----|----|---------------------|
| S48 | 262 | S47 and (thermoplastic or thermoform) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:24 |
| S49 | 119 | S48 and (vacuum\$5 and compress\$5) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:24 |
| S50 | 93 | S49 and liquid | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:24 |
| S51 | 1118843 | mold or mould or mould\$4 or mold\$4 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:37 |
| S52 | 2994449 | heating or heated or heat or cooling or cooled or cool | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:38 |
| S53 | 3536376 | metal or copper or nickel or cu or ni | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:38 |
| S54 | 86547 | (\$51 with \$52) and \$53 and (liquid or fluid) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:40 |
| S55 | 52731 | (\$51 with \$52) and \$53 and (electronic or electric) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:40 |
| S56 | 17512 | S54 and (channel) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:41 |
| S57 | 474 | S55 and (insulated wire) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:41 |
| S58 | 632 | S56 and "264".clss. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:45 |
| S59 | 504 | S58 and (heat\$4 and cool\$4) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:45 |
| S60 | 7 | S57 and "264".clss. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 11:46 |
| S61 | 6 | "6344160" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/17 13:47 |
| S62 | 2 | "20030234474" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/18 14:24 |
| S63 | 1 | "20020113340" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/18 14:25 |
| S64 | 68 | vacuum forming and vacuum channel | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/18 14:53 |
| S65 | 962913 | copper or nickel | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/18 17:26 |
| S66 | 99 | galvanized copper or galvanized nickel | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/18 17:26 |
| S67 | 9 | S66 and mold | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/18 17:27 |

| S68 | 1 | "20010044007" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/19 11:36 |
|-------------|--------|--|---|-----|----|---------------------|
| S69 | 1 | "6136238" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/19 11:37 |
| S70 | 1788 | heat\$4 near10 (wire with mold) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/19 11:45 |
| S71 | 320 | S70 and (insulat\$5 near10 wir\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/19 11:46 |
| S72 | 1 | "20010044007" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/19 17:04 |
| S73 | 1 | "6136238" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/19 17:05 |
| S74 | 1 | "20020116951" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/19 17:37 |
| S 75 | 1788 | heat\$4 near10 (wire with mold) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/19 17:39 |
| S76 | 320 | S75 and (insulat\$5 near10 wir\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/19 17:39 |
| S77 | 105 | S76 and plastic | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/19 17:39 |
| S78 | 269156 | (mold\$4 or mould\$4) and thermoplastic | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 10:36 |

| S 79 | 1874031 | heat\$4 and cool\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 10:37 |
|-------------|---------|---|---|-----|----|---------------------|
| S80 | 593930 | (temperature profile) or (chang\$4 near20 temperature) or ((non- linear or non linear or ("not" linear)) near20 temperature) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 10:40 |
| S81 | 14531 | S78 and S79 and S80 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 10:40 |
| S82 | 194914 | (heat or heating or heats or heated) near10 rate | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/23 10:42 |
| S83 | 3791 | S81 and S82 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/23 10:42 |
| S84 | 883 | S83 and (local\$3 and differen\$4) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/23 10:43 |
| S85 | 170 | S83 and (local\$3 with differen\$4) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/23 10:43 |
| S86 | 163 | S83 and (local\$3 with differ\$5) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/03/23 10:43 |
| S87 | 29671 | S78 and (surface layer or (fabric laminat\$4) or decorat\$4 or decorative layer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 11:26 |
| S88 | 82 | S87 and ((elastic near10 material) with insert\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 11:35 |
| S89 | 5392 | S87 and shell | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 13:49 |

| S90 | 483 | S87 and (shell near5 mold) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 13:57 |
|-----|-----|--|---|-----|----|---------------------|
| S91 | 167 | S87 and (shell mold) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 14:05 |
| S92 | 4 | S91 and (metal\$4 insert) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 14:18 |
| S93 | 257 | S87 and (metal\$4 insert) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 14:18 |
| S94 | 2 | "6344160".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/03/23 14:32 |
| S95 | 12 | "6344160",pn. or "200201133447" or "2030234474" or "4024090",pn. or "59989008",pn. or "20010044007" or "4024090",pn. or "6138238",pn. or "20020151233" or "20010041251" or "5439630",pn. | US POPUB; USPAT; USOCR | ADJ | ON | 2009/03/24 17:41 |

^{3/26/2009 4:30:23} PM

C:\ Documents and Settings\ kaziz\ My Documents\ EAST\ Workspaces\ 10599087.wsp